

**Lombardo.**  
EVERYDAY LIGHT



# LULA







**Lombardo.**  
EVERYDAY LIGHT

# LULA


## The range

 **Led** light

 **Outdoor**

### GROUND | FLOOR

- 1 LULA STELO 2400
- 2 LULA UP STELO 1200
- 3 KIT LULA POST





## WALL

- 4 LULA BRACKET 500
- 5 LULA UP BRACKET 300
- 6 LULA BRACKET 150
- 7 LULA UP
- 8 LULA

4



5



6



7



8



# LULA

**Installazione**  
Installation  
Installation  
Instalación

**Parete**  
Wall  
Mur  
Pared

**Materiali**  
Materials  
Materiali  
Materiales

**Materiale Corpo: Alluminio | Tipo di diffusore: Policarbonato - Vetro satinato | Trattamento: Bordo Mare**  
Material: Aluminium | Diffuser type: Polycarbonate - Frosted glass | Treatment: Sea Treatment  
Matériel du corps: Aluminium | Type de diffuseur: Polycarbonate - Verre effet satiné | Traitement: Bord de Mer  
Material del cuerpo: Aluminio | Tipo de difusor: Policarbonato - Cristal efecto satinado | Tratamiento: Tratamiento marino

**Alimentazione**  
Power supply  
Alimentation  
Alimentación

**AC DIRECT**

**Versioni**  
Versions  
Versions  
Versiones

**Taglio di fase**  
Phase cut  
Coupure de phase  
Corte de fase



**LULA**



**LULA UP**



## COLOURS



**White RAL 9010**



**Light Grey RAL 7044**



**Dark Grey RAL 7021**




**Corten**



**Green RAL 6003**



**Black RAL 9005**




**Brown Bronze**

## Lula



IP 65 IK 06 1J xx3 CE UK CA	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	800		LL15301W□	139,00
					LL15301L□	139,00
					LL15301D□	139,00
					LL15301K□	139,00
					LL15301V□	139,00
					LL15301B□	139,00
					LL15301M□	139,00
AC DIRECT						




\* Complete the CODE    □ LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

## Lula UP



IP 65 IK 03 0,35J xx2 CE UK CA	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	1100		LL15302W□	229,00
					LL15302L□	229,00
					LL15302D□	229,00
					LL15302K□	229,00
					LL15302V□	229,00
					LL15302B□	229,00
					LL15302M□	229,00
AC DIRECT						



\* Complete the CODE    □ LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

LULA UP







## Adattatore palo Still Ø 60 Lula

Lula adapter for Still Post Ø 60

Adaptateur poteau Still Ø60 Lula

Adaptador poste Still Ø60 Lula

Col.	Code	€
	LB153000W	15,00
	LB153000B	15,00
	LB153000K	15,00



## Tappo Palo Still

Tappo in polietilene.

Cap for Post Still




Polyethylene cap.


Couvercle Poteau Still

Couvercle en polyéthylène.

Tapón Palo Still

Tapón de polietileno

Col.	Code	€
	LB1100081	10,50
	LB1100082	10,50
	LB110008K	10,50



## Still

Palo diametro 60 mm in Bayblend senza basamento.

Possibilità di installazione con o senza basamento.

Anima interna palo in acciaio zincato per altezze da 2000 mm.

I pali di altezza uguale e superiore a 2000 mm devono essere interrati di almeno 500 mm.

Still

60 mm Bayblend pole without base.

Possibility of installation with or without base.

Galvanized steel inner pole from H 2000 mm.

2000 mm and higher poles must be underground by at least 500 mm.

Still

Poteau de 60 mm en Bayblend sans socle.

Possibilité d'installation avec ou sans socle.

Noyau interne en acier galvanisé pour poteau à partir de h. 2000 mm.

Les poteaux d'une hauteur de 2000 mm et plus doivent être enterrés à au moins 500 mm de profondeur.

Still




Poste de 60 mm en Bayblend sin base.

Possibilidad de instalación con o sin base.




Núcleo interno en acero galvanizado para alturas de 2000 mm.

Los postes con una altura de 2.000 mm o superior deben estar enterrados a una profundidad mínima de 500 mm.




Still H 500 mm

Col.	Code	€
	LB111111	38,50
	LB111112	12,00
	LB11111K	38,50




Still H 2500 mm

Col.	Code	€
	LB1100041	114,00
	LB1100042	47,00
	LB110004K	114,00




Still H 1000 mm

Col.	Code	€
	LB110001W	42,50
	LB1100012	13,00
	LB110001K	42,50




Still H 3000 mm

Col.	Code	€
	LB1100051	135,00
	LB1100052	52,00
	LB110005K	135,00




Still H 1500 mm


Col.	Code	€
	LB1100021	63,50
	LB1100022	20,00
	LB110002K	63,50

Still H 3500 mm

Col.	Code	€
	LB1100061	156,50
	LB1100062	62,50
	LB110006K	156,50

Still H 2000 mm

Col.	Code	€
	LB1100031	92,00
	LB1100032	36,50
	LB110003K	92,00





LULA





# LULA BRACKET

## Installazione

Installation  
Installation  
Instalación

## Parete

Wall  
Mur  
Pared

## Materiali

Materials  
Materials  
Materiales

**Materiale Corpo: Alluminio | Tipo di diffusore: Policarbonato - Vetro satinato | Trattamento: Bordo Mare**

Material: Aluminium | Diffuser type: Polycarbonate - Frosted glass | Treatment: Sea Treatment  
Matériel du corps: Aluminium | Type de diffuseur: Polycarbonate - Verre effet satiné | Traitement: Bord de Mer  
Material del cuerpo: Aluminio | Tipo de difusor: Policarbonato - Cristal efecto satinado | Tratamiento: Tratamiento marino

## Alimentazione

Power supply  
Alimentation  
Alimentación

**AC DIRECT**

## Versioni

Versions  
Versions  
Versiones

**Taglio di fase | Cavo Alimentazione: 1 metro H05RN-F 3x1**


Phase cut | Power cable: 1 m H05RN-F 3x1  
Coupure de phase | Câble d'alimentation: 1 m H05RN-F 3x1  
Corte de fase | Cable de alimentación: 1 m H05RN-F 3x1



**LULA BRACKET**  
150



**LULA UP BRACKET**  
150



**LULA BRACKET**  
300



**LULA UP BRACKET**  
300



**LULA BRACKET**  
500



**LULA UP BRACKET**  
500

## COLOURS



White RAL 9010



Light Grey RAL 7044



Dark Grey RAL 7021




Corten



Green RAL 6003



Black RAL 9005




Brown Bronze

### Lula Bracket 150



<p>IP 65 IK 06 1J xx3</p> <p>CE UK CA</p>	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	800	⊕	✓ AC DIRECT	
					LL15303W□	219,00
					LL15303L□	219,00
					LL15303D□	219,00
					LL15303K□	219,00
					LL15303V□	219,00
				LL15303B□	219,00	
				LL15303M□	219,00	




\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

### Lula UP Bracket 150



<p>IP 65 IK 03 0,35J xx2</p> <p>CE UK CA</p>	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	1100	⊕	✓ AC DIRECT	
					LL15304W□	309,00
					LL15304L□	309,00
					LL15304D□	309,00
					LL15304K□	309,00
					LL15304V□	309,00
				LL15304B□	309,00	
				LL15304M□	309,00	




\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

### Lula Bracket 300



<p>IP 65 IK 06 1J xx3</p> <p>CE UK CA</p>	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	800	⊕	✓ AC DIRECT	
					LL15305W□	239,00
					LL15305L□	239,00
					LL15305D□	239,00
					LL15305K□	239,00
					LL15305V□	239,00
				LL15305B□	239,00	
				LL15305M□	239,00	




\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

### Lula UP Bracket 300



<p>IP 65 IK 03 0,35J xx2</p> <p>CE UK CA</p>	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	1100	⊕	✓ AC DIRECT	
					LL15306W□	329,00
					LL15306L□	329,00
					LL15306D□	329,00
					LL15306K□	329,00
					LL15306V□	329,00
				LL15306B□	329,00	
				LL15306M□	329,00	












\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

# LULA BRACKET

## Lula Bracket 500

NEW









IP 65 IK 06 1J xx3 CE UK CR	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	800	 LL15307W□	AC DIRECT	259,00
				 LL15307L□		259,00
				 LL15307D□		259,00
				 LL15307K□		259,00
				 LL15307V□		259,00
				 LL15307B□		259,00
				 LL15307M□		259,00




\* Complete the CODE  LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

## Lula UP Bracket 500

NEW

IP 65 IK 03 0,35J xx2 CE UK CR	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	1100	 LL15308W□	AC DIRECT	349,00
				 LL15308L□		349,00
				 LL15308D□		349,00
				 LL15308K□		349,00
				 LL15308V□		349,00
				 LL15308B□		349,00
				 LL15308M□		349,00



\* Complete the CODE  LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

LULA UP BRACKET - LULA UP STELO





LULA UP BRACKET

# LULA STELO

## Installazione

Installation  
Installation  
Instalación

## Terra

Ground  
Sol  
Suelo

## Materiali

Materials  
Materiali  
Materiales

**Materiale Corpo: Alluminio | Tipo di diffusore: Policarbonato - Vetro satinato | Trattamento: Bordo Mare**

Material: Aluminium | Diffuser type: Polycarbonate - Frosted glass | Treatment: Sea Treatment

Matériel du corps: Aluminium | Type de diffuseur: Polycarbonate - Verre effet satiné | Traitement: Bord de Mer

Material del cuerpo: Aluminio | Tipo de difusor: Policarbonato - Cristal efecto satinado | Tratamiento: Tratamiento marino

## Alimentazione

Power supply  
Alimentation  
Alimentación

**AC DIRECT**

## Versioni

Versions  
Versions  
Versiones

**Taglio di fase | Cavo Alimentazione: 5 metri H05RN-F 3×1**

Phase cut | Power cable: 5 m H05RN-F 3×1

Coupure de phase | Câble d'alimentation: 5 m H05RN-F 3×1

Corte de fase | Cable de alimentación: 5 m H05RN-F 3×1



**LULA STELO**  
H1200



**LULA UP STELO**  
H1200



**LULA STELO**  
H2400



**LULA UP STELO**  
H2400

## COLOURS



White RAL 9010



Light Grey RAL 7044



Dark Grey RAL 7021




Corten



Green RAL 6003



Black RAL 9005



Brown Bronze



### Lula Stelo H1200



<p>IP 65 IK 06 1J xx3</p> <p>CE UK CA</p>	LED				<p>COL.</p>	<p>CODE *</p>	<p>€</p>	
	W	LM	REAL LM					
	12	1330	800					AC DIRECT
		LL15309W	509,00					
		LL15309L	509,00					
		LL15309D	509,00					
		LL15309K	509,00					
		LL15309V	509,00					
	LL15309B	509,00						
	LL15309M	509,00						

\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

### Lula UP Stelo H1200



<p>IP 65 IK 03 0,35J xx2</p> <p>CE UK CA</p>	LED				<p>COL.</p>	<p>CODE *</p>	<p>€</p>	
	W	LM	REAL LM					
	12	1330	1100					AC DIRECT
		LL15310W	599,00					
		LL15310L	599,00					
		LL15310D	599,00					
		LL15310K	599,00					
		LL15310V	599,00					
	LL15310B	599,00						
	LL15310M	599,00						

\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

### Lula Stelo H2400



<p>IP 65 IK 06 1J xx3</p> <p>CE UK CA</p>	LED				<p>COL.</p>	<p>CODE *</p>	<p>€</p>	
	W	LM	REAL LM					
	12	1330	800					AC DIRECT
		LL15311W	589,00					
		LL15311L	589,00					
		LL15311D	589,00					
		LL15311K	589,00					
		LL15311V	589,00					
	LL15311B	589,00						
	LL15311M	589,00						

\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

### Lula UP Stelo H2400



<p>IP 65 IK 03 0,35J xx2</p> <p>CE UK CA</p>	LED				<p>COL.</p>	<p>CODE *</p>	<p>€</p>	
	W	LM	REAL LM					
	12	1330	1100					AC DIRECT
		LL15312W	679,00					
		LL15312L	679,00					
		LL15312D	679,00					
		LL15312K	679,00					
		LL15312V	679,00					
	LL15312B	679,00						
	LL15312M	679,00						

\* Complete the CODE     LED COLOUR    N | 4000K    3 | 3000K    2 | 2700K    1 | 2200K

LULA STELO H2400







# KIT LULA POST

## Installazione

Installation  
Installation  
Instalación

## Terra

Ground  
Sol  
Suelo

## Materiali

Materials  
Materiali  
Materiales

**Materiale Corpo: Alluminio | Tipo di diffusore: Policarbonato - Vetro satinato | Trattamento: Bordo Mare**

Material: Aluminium | Diffuser type: Polycarbonate - Frosted glass | Treatment: Sea Treatment

Matériel du corps: Aluminium | Type de diffuseur: Polycarbonate - Verre effet satiné | Traitement: Bord de Mer

Material del cuerpo: Aluminio | Tipo de difusor: Policarbonato - Cristal efecto satinado | Tratamiento: Tratamiento marino

## Alimentazione

Power supply  
Alimentation  
Alimentación

AC DIRECT

## Versioni

Versions  
Versions  
Versiones

## Taglio di fase

Phase cut  
Coupure de phase  
Corte de fase



**KIT LULA POST**  
H1500



**KIT LULA UP POST**  
H1500



## COLOURS



White RAL 9003



Corten



Black RAL 9005

### Kit Lula Post H1500



<b>IP 65 IK 06 1J xx3</b> CE UK CA 	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	800		LL15313W□ LL15313K□ LL15313B□	229,00 229,00 229,00
				AC DIRECT		

\* Complete the CODE □ LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Kit composto da Lula, Adattatore Palo Still Ø60 Lula, Palo Still, Tappo Palo Still e Piastra base a scomparsa. | Kit consisting of Lula, Lula adapter for Still Post Ø60, Still Post, Cap for Post Still, Retractable plate base. | Kit composé de Lula, Adaptateur poteau Still Ø60 Lula, Poteau Still, Couvercle Poteau Still, Plaque de base rétractable. | Kit compuesto por Lula, Adaptador poste Still Ø60 Lula, Poste Still, Tapón Palo Still, Placa base oculta.

### Kit Lula UP Post H1500



<b>IP 65 IK 03 0,35J xx2</b> CE UK CA 	LED			COL.	CODE *	€
	W	LM	REAL LM			
	12	1330	1100		LL15314W□ LL15314K□ LL15314B□	319,00 319,00 319,00
				AC DIRECT		

\* Complete the CODE □ LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Kit composto da Lula UP, Adattatore Palo Still Lula, Palo Still, Tappo Palo Still e Piastra base a scomparsa. | Kit consisting of Lula UP, Lula adapter for Still Post Ø60, Still Post, Cap for Post Still, Retractable plate base. | Kit composé de Lula UP, Adaptateur poteau Still Ø60 Lula, Poteau Still, Couvercle Poteau Still, Plaque de base rétractable. | Kit compuesto por Lula UP, Adaptador poste Still Ø60 Lula, Poste Still, Tapón Palo Still, Placa base oculta.

KIT LULA POST H1500





A modern outdoor garden scene at dusk. In the foreground, there are several concrete steps leading up to a raised concrete platform. To the right, a tall, slender black outdoor lighting post stands prominently, featuring a rectangular light fixture near the top that is illuminated. In the background, a building with vertical slat siding is visible, and another similar lighting post is positioned near a concrete seating area. The overall atmosphere is serene and contemporary.

KIT LULA POST H1500



## FEATURES



**Fasci di luce.**

Light beams.  
Faisceaux lumineux.  
Haces de luz.



Lula

Lula UP



**Colori disponibili.**

Available colours.  
Couleurs disponibles.  
Colores disponibles.









# Lombardo.

EVERYDAY LIGHT

Via Pizzigoni 3 • Villongo (BG) • 24060 • Italy  
T +39 035 939 411 • F +39 035 939 496  
[info@lombardo.it](mailto:info@lombardo.it)

[lombardo.it](http://lombardo.it)